

Index

Special Characters

(pound sign), 100
' (apostrophes), 113
/ (slash), 106, 113
_ (underscore), 112

A

absolute path names, 106
abstraction
 limiting in splash screens, 429–430
 subject of site, 242
 symbolic shapes, 238
account links, 259
acquiring images, 127–173
 overview, 28–29
 photography. *See* photographs;
 retouching photographs
 scanners. *See* scanners
 screen shots, 170
 stock image CDs, 170–171
 Web images, 171–172
actions, 300–322
 batch processing tasks. *See* batch
 processing tasks
 creating, 306–309
 creating droplets, 319–320
 editing, 308, 309–311
 loading, 317
 playing, 301–306
 recording, 306–309
 saving, 317–318
Actions palette, 13, 300–306
additive color, 91–92
Add Noise tool, 143
adjustment layers, 193
Adobe Web site, accessing, 16
ads. *See* banner ads
Airbrush tool, 17
 retouching photographs, 163–164
aliasing, 85
 avoiding with small images, 231–232
ALIGN attribute, IMG tag, 109–110
alignment
 photographs, 155–156

 slices in ImageReady, 472–473
alpha channel, 233
ALT attribute, IMG tag, 110–111,
 428–429
analogous colors, 93
angle(s), emphasizing subject in pho-
 tographs, 149–150
Angle Gradient tool, 279
Angle option, Brush Options dialog
 box, 185
animation(s), 341–371
 adding to slices, 481–482
 animated content, 342–344
 Animation palette, 345–349
 banner ads, 368–370
 creating with ImageReady. *See* cre-
 ating animations with
 ImageReady
 editing existing animations, 352–354
 GIFs, 344
 icons, 367–368
 illusion of animation, 342
 Layers palette, 349–352
 MPEG, 342, 343
 news bulletins, 368
 optimizing, 365–366
 overview, 30–31
 playing, 347–349
 QuickTime, 342, 343
 rollover effects, 394–395
 saving, 366–367
 setting frame disposal method,
 362–365
Animation palette, 345–349
 copying and pasting frames, 346–347
 frame animation, 357–360
 playing animations, 347–349
Anti-Alias option, 267
antique effect, adding to photographs,
 169–170
apostrophes ('), avoiding in
 filenames, 113
AREA tags, image maps, 443–445
arguments, functions, 405

arranging
 layers, 193
 slices in ImageReady, 474
arrows, creating, 227
artifacts
 JPEG images, 60
 removing from scanned images, 141
Artistic filters, 197
ASCII text, 105
attributes, HTML, 103–104
author stamps, 243
Auto Contrast tool, 136
Auto Levels tool, 136
Automate commands, 327–329
 creating contact sheets, 327–329
auto-slices, converting to user-
 slices, 463

B

background
 deemphasizing in photographs,
 152–153
 setting options with HTML, 484
background color
 choosing, 232
 slices, specifying, 477
background images, 183–210
 contrast reduction, 201–202
 defining with CSS, 206–209
 defining with HTML, 205–206
 dimensions, 203–204
 filters, 196–200
 layers, 190–196
 overview, 29
 painting tools, 184–190
 repetition, 202
 tessellation, 202–203
background layer, small images, 231
back lights, 152
balance, images in photographs,
 156–157
banded color, 53
banding, 53
 preventing, 54–56

- banner ads, 368–370
 - banner-swapping services, 370
 - constraining file size, 369
 - conventional dimensions, 368–369
 - evaluating effectiveness, 370
 - limiting visual impact, 369–370
 - banner-swapping services, 370
 - base color, 186
 - Baseline Optimized option, saving
 - JPEG images, 64
 - Baseline option, saving JPEG
 - images, 64
 - Bas Relief filter, 197
 - Batch dialog box, 313
 - batch processing tasks, 312–322
 - Batch dialog box, 313
 - droplets, 318–322
 - handling errors, 316
 - saving actions, 317–318
 - selecting destinations, 314–315
 - selecting naming conventions, 315–316
 - selecting source images, 314
 - setting batch options for droplets
 - using ImageReady, 320–321
 - Behind mode, 186
 - beveled edges, 278
 - Bicubic method, 47
 - Bilinear method, 47
 - bitmap(s), 2
 - bitmap images, 7–10, 22–27
 - changing dimensions, 24–26
 - changing edits, 27
 - changing scale, 22–24
 - printing and viewing, 9–10
 - Bitmap tools, 17
 - Blend Edges option, Tile Maker filter, 200
 - blending modes, 186–188
 - blurring, selective, retouching photographs, 164–165
 - Blur tool, 17
 - BORDER attribute, IMG tag, 111
 - brands, site logo, 242–243
 - Brightness/Contrast dialog box, 133–134
 - browsers, 89–90
 - hiding JavaScript from, 408
 - hiding rollover effects from, 409–410
 - specifying messages, 478–479
 - brush(es)
 - editing, 184–185
 - retouching photographs, 159–160
 - brush dynamics, 189
 - Brush Options dialog box, 184–185
 - Brush Stroke filter, 197
 - buffers, videos, 344
 - bullets, 235
 - designing, 236–237
 - implementing with CSS, 241
 - implementing with HTML, 240–241
 - Burn tool, retouching photographs, 166, 167
 - buttons, 257–288
 - implementing in Web pages. *See* implementing buttons
 - overview, 30
 - physical, imitating, 260–264
 - positioning, 260, 261
 - rollover effects, 264
 - shapes. *See* shapes for buttons
 - tabbed interfaces, 262–263
 - text. *See* buttons with text
 - 3-D effects, 3-D effects
 - types, 258–260
 - buttons with text, 264–270
 - graphics versus text, 264–265
 - Type Mask tool, 270
 - type options, 266–269
 - warping text, 269
 - Button view, Actions palette, 301
- C**
- cache directory, 106
 - calling functions in JavaScript, 399
 - cameras
 - digital, 147–148
 - film, 146–147
 - canvas, 24
 - changing, 24–26
 - capitalization, improper, avoiding, 114
 - Cascading Style Sheets. *See* CSS (Cascading Style Sheets)
 - CDs
 - clipart, 171
 - stock photo, 170–171
 - Channels palette, 12
 - Character palette, 15
 - circles, buttons, 271–272
 - click-through-rate (CTR), 370
 - clipart CDs, 171
 - clipping paths, 271
 - Clone Stamp tool, 17
 - retouching photographs, 168
 - Clouds filter, 197
 - clut (color look-up table), 48–49
 - CMYK color space, 86–87
 - color(s), 90–103
 - additive, 91–92
 - analogous, 93
 - background. *See* background color
 - banded, 53
 - boosting in video, 144
 - CMYK, 86–87
 - color cube, 95–96
 - color theory, 90–94
 - complementary, 93–94
 - hexadecimal notation, 97–101
 - HSV, adjusting, 139–140
 - human eye and, 93
 - monitors, 83–84
 - names, 101–102
 - primary, 92
 - problems in scanned images, 136–140
 - reducing in small images, 230
 - RGB color, 94–95
 - subtractive, 90
 - symbols, 236–237, 238
 - tertiary, 93
 - TV screens, 86
 - Web-safe, 102–103
 - Color Burn mode, 187
 - color channels, 45
 - color cube, 95–96
 - color depth, 41–58
 - changing, 49–58
 - choosing palettes, 51–52
 - color reduction options, color
 - depth choosing palettes, 52–53
 - controlling color reduction, 56–58
 - dither, 53–56
 - indexed colors, 48–49
 - RGB color, 46–48
 - Color Dodge mode, 187
 - color gamuts, 82
 - Colorize option, antique effects in
 - photographs, 169–170
 - color look-up table (clut), 48–49
 - Color mode, 188. *See also* color depth
-

- Color palette, 13, 41–45
 - choosing, 51–52
 - optimizing images, 69
 - Web-safe, 499–501
 - color reduction, 51–53
 - posterizing, 56–57
 - setting options, 52–53
 - threshold, 57–58
 - color table. *See* Color palette
 - color theory, 90–94
 - color tools, 18
 - combining slices, 470
 - commands
 - editing in actions, 310
 - inserting into actions, 310–311
 - complementary colors, 93–94
 - compression, 69
 - JPEG files, 60
 - CompuServe, GIF files, 60
 - Conditional Mode Change command, 328–329
 - contact sheet(s), creating, 327–329
 - Contact Sheet II dialog box, 328
 - contrast
 - boosting in small images, 229–230
 - low, in scans, fixing, 133–136
 - maintaining in photographs, 157–158
 - normalizing, 136
 - reducing in background images, 201–202
 - coordinates, hot spots, finding, 445–446
 - COORDS attribute, AREA tag, 444–445
 - copying frames, 346–347
 - copyrights, Web page images, 171–172
 - CPM (cost per mille), 370
 - Create Droplet dialog box, 319
 - Create Guides dialog box, 432–433
 - Create Web Photo Gallery command, 324–327
 - creating animations with
 - ImageReady, 354–362
 - controlling timing, 354–357
 - frame animation, 357–362
 - creating image maps with
 - ImageReady, 435–442
 - Image Map palette, 437–439
 - Image Map tools, 435–437
 - layers, 439–441
 - saving image maps, 441–442
 - creating image slices, 458–468
 - converting slices, 463
 - deleting slices, 464
 - layer-based slices, 462–463
 - locking slices, 464
 - manually, 485–489
 - selecting slices, 463–464
 - setting preferences, 465–468
 - user-slices, 460–461
 - using guides, 461–462
 - creating rollover effects with
 - ImageReady, 384, 389–396
 - animation, 394–395
 - Rollover palette, 386–389
 - rollover states, 388–389
 - saving HTML files, 395–396
 - using layers, 389–391
 - using styles, 391–394
 - creating rollover effects with
 - JavaScript, 397–403
 - inline JavaScript, 398
 - SCRIPT tag, 398–399
 - simple effects, 399
 - simple rollovers, 400–403
 - cropping slices, 486
 - Crop tool, 16
 - cross-browser rollover effects, 407–410
 - cross-platform images, 82–90
 - browsers, 89–90
 - designing for printers, 86–87
 - designing for TV screen, 85–86
 - monitors, 82–85
 - operating systems, 87–89
 - CSS (Cascading Style Sheets)
 - defining backgrounds, 206–209
 - implementing bullets, 241
 - CTR (click-through-rate), 370
 - cursor, changing, 190
 - Custom filter, 198
 - custom shapes, buttons, 275–276
 - Custom Shape tool, 227–228
- D**
- Darken mode, 187
 - deleting slices, 464
 - Despeckle tool, 143
 - destinations, batch processing tasks, 314–315
 - developing film, 147
 - DHTML (Dynamic Hypertext Markup Language), 31
 - diagonals, photographs, 155–156
 - Diameter option, Brush Options dialog box, 185
 - Diamond Gradient tool, 279
 - Difference Clouds filter, 197
 - Difference mode, 188
 - digital cameras, 147–148
 - digital zoom, 148
 - dimensions. *See* size
 - directional links, 260
 - displaying. *See also* viewing
 - graphics. *See* color(s); cross-platform images; HTML (Hypertext Markup Language) images, overview, 28
 - Disposal Method shortcut menu, 362–364
 - Dissolve mode, 186
 - distance, virtual, z-axis, 277
 - Distort filter, 197
 - distort filters, 283
 - Distort option, transforming layers, 194
 - distributing slices in ImageReady, 473
 - dithering, 53–56
 - dividing slices, 469–470
 - Documentation tools, 18
 - documenting images, 20–21
 - Dodge tool, 17
 - retouching photographs, 166, 167
 - dpi (dots per inch), 3
 - drawing programs, 10
 - drawing tablets, 132
 - drivers, 130
 - droplets, 318–322
 - automating optimization settings, 320
 - batch options, 320–321
 - creating from actions, 319–320
 - editing, 320
 - setting playback options, 321–322
 - drop shadows, 280–282
 - duplicating slices, 468
 - Dust & Scratches filter, retouching photographs, 164
 - Dynamic Hypertext Markup Language (DHTML), 31
-

E

edge pixels, editing, 232

editing

- actions, 308, 309–311
- brushes, 184–185
- changing edits, 27
- droplets in ImageReady, 320
- edge pixels, 232
- existing animations, 352–354
- image slices. *See* editing image slices
- layers, 351–352
- shapes for buttons, 273–276

editing image slices, 468–474

- creating slices from other slices, 468–470
- transposing slices, 470–474

Edit menu, 19

Emboss filter, 197

Eraser tool, 17

Exclusion mode, 188

executing programs, 397

exporting bitmap images, 10

eye

- color and, 93
- red, retouching photographs, 166–167

Eyedropper tools, 18

F

favorites icons (favicons), 243–245

- creating, 244
- existing, using, 244–245
- using in Web pages, 245
- viewing, 244

fields, video, 144

file(s), saving. *See* saving files

file formats, 59–63

- GIF. *See* GIF (Graphics Interchange Format) images
- JPEG. *See* JPEG (Joint Photographic Experts Group) images
- JPEG2000, 62
- MNG, 63
- MPEG, 63
- plug-ins, 59
- PNG. *See* PNG (Portable Network Graphic) images
- scalable vector graphics, 62
- XBMP, 63

File Info dialog box, 326

File menu, 19

filenames, 112

- avoiding unrecognized characters, 112–113
- solving suffix errors, 113

file size, 40

- banner ads, 369
- optimizing images by, 70–71

filling, 4

- paths, 276

fill layers, 193

fill lights, 151

film cameras, 146–147

film scanners, 132

Filter menu, 20

filters, 196–200

- categories, 197–198
- Tile Maker filter, 198–200

Fit Image command, 329

Flash, flash screens, 425–426

flash cards, 148

Flash movies, 343

flatbed scanners, 128–131

- creating image files, 130–131
- hardware, 129
- software, 129–130

Flatten Image command, 193

Flip option, transforming layers, 194

fonts, selecting, 267–269

format

- files. *See* file formats
- solving problems, 113
- splash screens, 422–426

fps (frames per second), 342

frame(s)

- copying, 346–347
- pasting, 346–347
- video, 144

frame animation, 357–362

frame disposal method, 362–365

frame rate, 342

frames per second (fps), 342

F-stops, 146

function(s)

- optimizing rollover effects, 404–405
- preloading rollover images, 407

functionality, splash screens, making

- clear, 428–431

functional links, 260

G

gamma, 88, 135

gamuts, 82

GIF (Graphics Interchange Format) images, 59–60

- animation, 342, 343, 344
- optimizing, 68–69
- saving files, 63–64

global angle, 282

gradients, 3-D effects, 279–280

Gradient tool, 17

graphical rollover effects, 401–403

graphics

- links, 283–284
- Submit button, 286–287

Graphics Interchange Format (GIF) images. *See* GIF (Graphics Interchange Format) images

grids, small images, 223–224

guides, 431–435

- creating, 432–433
- creating slices, 461–462
- Snap feature, 434–435
- viewing, 433–434

H

Hand tool, 18

Hard Light mode, 187

Hardness option, Brush Options dialog box, 185

hardware. *See also specific hardware*

- film cameras, 146–147
- gamuts, 82

HDTV (high-definition television), 86

HEIGHT attribute, IMG tag, 107–108

Help menu, 20

hexadecimal notation, color, 97–101

hiding

- JavaScript from older browsers, 408
- rollover effects from older browsers, 409–410
- slices, 465

hierarchical menus, 262–263

high-definition television (HDTV), 86

histograms, 135

History Brush tool, 17

History palette, 13

History States option, Preferences dialog box, 312

- horizon, rule of thirds in photographs, 154–155
- hot spots, 423
 - defining, 444–445
 - finding coordinates, 445–446
- HSPACE attribute, IMG tag, 109
- HTML (Hypertext Markup Language), 103–114
 - defining backgrounds, 205–206
 - editors, 104–105
 - file suffix errors, 113
 - format problems, 113
 - hexadecimal notation, 97–101
 - IMG tag, 105–111, 239–240, 428–429
 - implementing bullets, 240–241
 - improper capitalization, 114
 - incorrect path references, 114
 - preloading rollover images, 406
 - saving files in ImageReady, 395–396
 - saving image slices, 482–485
 - slice display. *See* slice display in HTML
 - TABLE tag, 111–112
 - unrecognized characters in filenames, 112–113
- HTML converters, 105
- HTML editors
 - text, 105
 - wysiwyg, 103–104
- hue, changing, 139
- hue contrast, maintaining in photographs, 157
- Hue mode, 188
- Hue/Saturation dialog box, 138
- Hue/Saturation tool, 137–138
- human eye. *See* Eye
- Hypertext Markup Language. *See* HTML (Hypertext Markup Language)
- icons, 221–246
 - animated, 367–368
 - bullets and symbols. *See* bullets; symbols
 - favorites icons (favicons), 243–245
 - implementing in Web pages, 239–241
 - logos, 241–243
 - overview, 29–30
 - small images. *See* small images
 - symbolic, 235
- image displays, 2
- image editors, 10, 11. *See also* Photoshop
- image files, 2
- Image Map palette, 437–439
- image maps, 14, 423–424, 435–446
 - creating manually, 442–446
 - creating with ImageReady. *See* creating image maps with ImageReady
 - defining images as image maps, 443
 - links. *See* hot spots
 - saving, 441–442
 - setting preferences, 436–437
- Image Maps Preferences dialog box, 436–437
- Image Map tools, 17, 435–437
- Image Map Visibility button, 437
- Image menu, 19
- ImageReady
 - actions, 318
 - aligning slices, 472–473
 - arranging slices, 474
 - automating optimization settings using droplets, 320
 - creating droplets, 320
 - creating image maps. *See* creating image maps with ImageReady
 - creating rollover effects. *See* creating rollover effects with ImageReady
 - distributing slices, 473
 - duplicating slices, 468
 - editing droplets, 320
 - frame animation, 357–362
 - guides. *See* guides
 - linking slices, 480–481
 - optimizing images, 65–71
 - palettes, 13, 14–16
 - recording options, 308–309
 - setting batch options for droplets, 320–321
 - setting frame disposal method, 363, 365
 - setting playback options for droplets, 321–322
 - timing of animations, 354–357
 - toolbox, 11, 15–19
- image slices, 14
 - adding effects, 481–482
 - background options, 484
 - combining, 470
 - creating. *See* creating image slices
 - cropping slices, 486
 - display in HTML. *See* slice display in HTML
 - dividing, 469–470
 - duplicating, 468
 - editing. *See* editing image slices
 - file options, 484–485
 - hiding, 465
 - HTML options, 483–484
 - linking in ImageReady, 480–481
 - moving, 471–472
 - naming preferences, 485
 - numbers and symbols, 467–468
 - opacity, 466–467
 - optimizing, 480
 - outlines, setting preferences, 465–466
 - positioning images in tables, 486–489
 - resizing, 471–472
 - saving, 482–485
 - slicing images, 486
 - transposing, 470–474
- IMG tags, 105–111
 - ALT attribute, 428–429
 - implementing ratings symbols, 239–240
- implementing buttons, 283–287
 - CSS, 241
 - graphics for links, 283–284
 - graphics for Submit button, 286–287
 - HTML, 240–241
 - tabbed interfaces, 284–286
- implementing icons, 239–241
- implementing ratings symbols, 239–240
- indexed colors, 48–49
- Info palette, 12–13
- inline JavaScript, 398
- invoking functions in JavaScript, 399
- ISO ratings, 146
 - virtual, 148

J

jagged edges, controlling with RGB color, 46–48

JavaScript

- creating rollover effects. *See* creating rollover effects with JavaScript
- hiding from older browsers, 408
- preloading rollover images, 406–407
- using in external files, 399

JPEG2000 images, 62

JPEG (Joint Photographic Experts Group) images, 60–61

- optimizing, 70
- saving files, 64–65

JP2 images, 62

Jump button, 19

K

Kaleidoscope option, Tile Maker filter, 200

kaleidoscopic images, 199

kerning, 266

keyframes, 360

key lights, 150–151

L

language, specifying, 409

large images, reducing, 229–230

Lasso tools, 16

- retouching photographs, 162

layer(s), 190–196

- adding masks, 193
- adding styles, 193
- adding to animations, 350
- adjustment, 193
- creating, 191
- creating image maps, 439–441
- creating rollover effects, 389–391
- creating slices, 462–463
- editing, 351–352
- fill, 193
- linking, 192
- locking, 192
- merging, 193
- modes, 192
- opacity, 191
- transforming, 194–196
- type, 265
- visibility, 192, 350–351

layer-based image map areas, 439–440

layer-based slices

- converting to user-slices, 463
- creating, 462–463

Layer menu, 19

layer sets, creating, 193

Layers palette, 14, 349–352

- frame animation, 357, 358

Layer Styles, 281–282

layout, TABLE tag, 111–112

LCD monitors, 84–85

leading, 266

lens flare, adding to photographs, 169

Levels dialog box, 134–135

Lighten mode, 188

lighting

- consistency with 3-D effects, 278
- emphasizing subject in photographs, 150–152
- retouching photographs, 167

lightness, colors, changing, 140

lightness contrast, maintaining in photographs, 157

line(s), removing from video, 144

Linear Gradient tool, 279

Line tool, 226–227

link(s)

- graphics, 283–284
- image maps. *See* hot spots

linking

- layers, 192
- slices in ImageReady, 480–481

List view, Actions palette, 301

loading actions, 317

locking layers, 192

locking slices, 464

logos, 241–243

- abstracting subject of site, 242
- creating brands, 242–243
- including name, 243
- incorporating into Web page, 243
- multiple versions, 243

looping animations, 356–357

lossless compression, 60

lossy compression, 60, 69

LOWSRC attribute

- creating thumbnail galleries, 323, 324
- defining alternate images, 107

Luminosity mode, 188

LZW compression, 60

M

Magic Wand tool, 16

- retouching photographs, 162

magnification, increasing, 222–223

Magnifying Glass tool, 18

margins, photographs, 153–154

Marquee tools, 16

- retouching photographs, 161

masks, adding to layers, 193

Measure tool, 18

Median filter, 145

media player links, 260

megapixels, 148

menus, 19–20. *See also specific menus*

- hierarchical, 262–263

Merged Linked command, 193

Merge Down command, 193

Merge Visible command, 193

merging layers, 193

metadata, 326

metaphors, splash screens, 427–428

MNG images, 63

modal controls, 304–306, 306

modes, layers, 192

monitors, 82–85

- color, 83–84

- LCD, 84–85

- resolution, 83

- size, 83

motion, reducing effects in video, 145

Motion Picture Experts Group

- (MPEG) animations, 63, 342, 343

Move tool, 16

moving slices, 471–472

MPEG (Motion Picture Experts Group) animations, 63, 342, 343

multi-image graphical rollover effects, 402–403

N

names

- colors, 101–102
- files, 112–113
- image slices, 485
- including in logo, 243
- naming conventions for batch processing tasks, 315–316
- paths, relative and absolute, 106

National Television Standards
 Committee (NTSC) standards, 86
 navigation, splash screens, 430–431
 navigation bars, side, 262
 navigation links, 259
 navigation tools, 18
 Navigator palette, 23–24
 increasing magnification, 222–223
 Nearest Neighbor method, 47
 New Action dialog box, 307
 news bulletins, 368
 New state button, Rollover palette in
 ImageReady, 387
 noise, removing from scanned
 images, 142–143
 nonactionable commands, 310
 normalizing contrast, 136
 Normal mode, 186
 NTSC (National Television Standards
 Committee) standards, 86
 numbers, image slices, 467–468

O

Offset filter, 198
 onClick attribute, JavaScript, 401
 onMouseDown attribute,
 JavaScript, 401
 onMouseOut attribute, JavaScript,
 400–401
 onMouseOver attribute,
 JavaScript, 400
 onMouseUp attribute, JavaScript, 401
 opacity
 brush marks, 188
 layers, 191
 slices, 466–467
 operating systems, 87–89
 optical zoom, 148
 Optimize Animation dialog box, 365
 optimizing animations, 365–366
 optimizing images, 39–72
 color and file size, 40–49
 color depth. *See* color depth
 Color Table palette, 69
 file formats, 59–63
 by file size, 70–71
 GIF images, 68–69
 JPEG images, 70
 overview, 28
 predefined settings, 67–68
 previewing images, 67
 saving files as Web graphics, 63–65
 saving optimized images, 71
 optimizing rollover effects, 403–410
 cross-browser rollover effects,
 407–410
 functions, 404–405
 preloading images, 405–407
 Options bar, 15, 16
 Other filter category, 198
 Output Settings dialog box, 441–442
 Overlay mode, 187

P

page content links, 259
 Paintbrush tool, 17
 Paint Bucket tool, 17
 painting tools, 184–190
 blending modes, 186–188
 brush dynamics, 189
 brush mark opacity, 188
 changing cursor, 190
 editing brushes, 184–185
 Wet Edges, 188–189
 palettes, 11, 12–16. *See also specific
 palettes*
 PAL (Phase Alternation Line)
 system, 86
 parameters, functions, 405
 pasting frames, 346–347
 paths, 5, 18, 270–271
 avoiding incorrect references, 114
 clipping, 271
 filling, 276
 relative and absolute names, 106
 work, 271
 Path Selection tool, 18
 patterns, removing from scanned
 images, 142–143
 Pencil tool, 17, 226
 Pen tools, 18
 Perspective option, transforming lay-
 ers, 194
 Phase Alternation Line (PAL)
 system, 86
 photographs, 145–170
 digital cameras, 147–148
 emphasizing subjects, 149–153
 film cameras, 146–147
 making images interesting, 153–158
 retouching. *See* retouching
 photographs
 Photoshop, 10, 11–22
 documenting images, 20–21
 guides. *See* guides
 menus, 19–20
 optimizing images, 65–71
 palettes, 11, 12–16
 saving actions, 317
 setting preferences, 21–22
 toolbox, 11, 15–19
 Pinch filter, 283
 pixel(s), 2
 edge, editing, 232
 Pixelate filter, 197
 pixels per inch (ppi), 3
 Plastic Wrap filter, 197
 playback options, droplets, 321–322
 playing actions, 301–306
 modal controls, 304–306
 modifying playback, 303–304
 playing animations, 347–349
 plug-ins, 5, 59, 196. *See also* filters
 PNG (Portable Network Graphic)
 images, 61–62
 alpha channel, 233
 point lights, 152
 polygons, buttons, 272–273
 Portable Network Graphics. *See*
 PNG (Portable Network Graphic)
 images
 positioning
 images in tables, 486–489
 slices, 471–472
 posterizing, 56–57
 pound sign (#), hexadecimal num-
 bers, 100
 ppi (pixels per inch), 3
 preferences, setting in Photoshop and
 ImageReady, 21–22
 preloading rollover images, 405–407
 HTML, 406
 JavaScript, 406–407
 Preview button, Rollover palette in
 ImageReady, 387
 previewing optimized images, 67
 primary colors, 92
 printers, designing for, 86–87
 printing bitmap images, 9
 Progressive option, saving JPEG
 images, 65

Q

QTVR (QuickTime Virtual Reality), 426
 QuickTime animations, 342, 343

R

Radial Gradient tool, 279
 raster images, 3
 rasterizing, 3
 type layers, 265–266
 vector images, 6–7
 ratings symbols, 233–234
 implementing in Web pages, 239–240
 recording actions, 306–309
 tips, 308
 using ImageReady, 308–309
 rectangles, rounded, buttons, 272
 red eye, retouching photographs, 166–167
 reducing images, 229–230
 Reflected Gradient tool, 279
 relative path names, 106
 Render filter, 197
 rendering type layers, 265–266
 repetition
 background images, 202
 controlling with style sheets, 208–209
 replacing elements in photographs, 167–168
 resampling, 47
 resizing slices, 471–472
 resolution, 3
 digital cameras, 148
 monitors, 83
 TV screens, 85–86
 resolution-dependent images, 3
 resolution-independent images, 3
 result color, 186
 retouching photographs, 158–170
 Airbrush tool, 163–164
 antique effect, 169–170
 brushes, 159–160
 Dust & Scratches filter, 164
 lens flare, 169
 lighting problems, 167
 red eye, 166–167
 replacing unwanted elements, 167–168
 selection tools, 160–162
 selective blurring, 164–165
 selective saturation, 166
 review symbols, 234–235
 RGB color, 46–48, 94–95
 controlling jagged edges, 46–48
 rollover effects, 14, 264, 383–410
 adding to slices, 481–482
 animation, 394–395
 creating in ImageReady. *See* creating rollover effects with ImageReady
 creating with JavaScript. *See* creating rollover effects with JavaScript
 cross-browser, 407–410
 designing basic rollovers, 384–386
 graphical, 401–403
 hiding from older browsers, 409–410
 optimizing. *See* optimizing rollover effects
 overview, 31
 three-state, 385–386
 Rollover palette, 14, 15
 ImageReady, 386–389
 rollover states, creating in ImageReady, 388–389
 Rotate by degree option, transforming layers, 194
 Rotate option, transforming layers, 194
 rounded rectangles, buttons, 272
 Roundness option, Brush Options dialog box, 185
 Rubber Stamp tool, retouching photographs, 168
 rule of thirds, photographs, 154–155

S

sans serif fonts, 267–268
 saturation
 colors, changing, 140
 selective, retouching photographs, 166
 saturation contrast, maintaining in photographs, hue contrast, maintaining in photographs, 158
 Saturation mode, 188
 saving
 animations, 366–367
 files. *See* saving files
 HTML files in ImageReady, 395–396
 image maps, 441–442
 image slices, 482–485
 saving files, 63–65
 GIF format, 63–64
 JPEG format, 64–65
 optimized images, 71
 scalable vector graphics (SVG) images, 62
 Scale option, transforming layers, 194
 scanners, 128–145
 artifact removal, 141
 color problems, fixing, 136–140
 drawing tablets, 132
 flatbed scanners, 128–131
 low contrast, fixing, 133–136
 pattern removal, 142–143
 slide scanners, 132
 video capture still problems, solving, 144–145
 Screen mode, 186
 screen shots, 170
 SCRIPT tag, 409
 JavaScript, 398–399
 SECAM (Sequential Couleur Avec Memoir) system, 86
 selecting slices, 463–464
 selection tools, 16–17
 retouching photographs, 160–162
 selective blurring, retouching photographs, 164–165
 selective saturation, retouching photographs, 166
 Select menu, 20
 Sequential Couleur Avec Memoir (SECAM) system, 86
 serifs, 267–268
 shape(s), 5
 buttons. *See* shapes for buttons
 symbols, 236, 238–239
 SHAPE attribute, AREA tag, 444–445
 shapes for buttons, 270–276
 combining, 274–275
 creating, 271–273
 custom, 275–276
 editing, 273–276
 stroking, 276
 Shape tools, 18
 ShockTime movies, 343

- side navigation bars, 262
- single-lens reflex (SLR) cameras, 147
- site information links, 259
- size
 - background images, 203–204
 - banner ads, 368–369
 - files. *See* file size
 - reducing images, 229–230
 - symbols, 237
- sizing slices, 471–472
- Sketch filter, 197
- Skew option, transforming layers, 194
- slashes (/)
 - avoiding in filenames, 113
 - file paths, 106
- sliced images, 457–489
 - creating image slices. *See* creating image slices
 - overview, 31
 - splash screens, 424–425
- slice display in HTML, 474–479
 - adding HTML text to slices, 475–477
 - assigning URLs to slices, 478
 - content type, 474–475
 - specifying browser messages, 478–479
 - specifying slice background colors, 477
- Slice palette, 471–472
- Slice selection bar, Rollover palette in ImageReady, 387
- Slice Select tool, 463–464, 471
- Slices menu, 19
- Slice tool, 17, 460
- slide scanners, 132
- SLR (single-lens reflex) cameras, 147
- small images, 222–233
 - reducing larger images, 229–230
 - setting environment, 222–225
 - tools, 225–229
 - transparency, 230–233
- Smudge tool, retouching photographs, 167–168
- Snap feature, guides, 434–435
- Soft Light mode, 187
- software. *See also* ImageReady; Photoshop
 - scanning, 129–130
 - 3-D effects, 282–283
 - vector images, 6
- source images, batch processing tasks, 314
- spaces, avoiding in filenames, 112
- Spacing option, Brush Options dialog box, 185
- Spherize filter, 283
- splash screens, 421–447
 - format, 422–426
 - guides. *See* guides
 - image maps. *See* creating image maps with ImageReady; image maps
 - metaphors, 427–428
 - navigation, 430–431
 - overview, 31
 - purpose, making clear, 428–431
- Sponge tool, retouching photographs, 166
- squares, buttons, 271–272
- SRC attribute, IMG tag, 106–107
- stock photo CDs, 170–171
- stops
 - actions, 306
 - inserting into actions, 311
- storing images, digital cameras, 148
- stroking, 4
 - shapes, 276
- styles
 - adding to layers, 193
 - creating rollover effects, 391–394
- style sheets. *See also* CSS (Cascading Style Sheets)
 - controlling repetition, 208–209
 - defining backgrounds, 206–209
- Stylize filter, 197
- Submit button, graphics, 286–287
- subtractive color, 90
- SVG (scalable vector graphics) images, 62
- Swatches palette, 13
- symbols, 233–239
 - colors, 236–237, 238
 - designing, 236–237
 - image slices, 467–468
 - ratings, 233–234, 239–240
 - review, 234–235
 - shapes, 236, 238–239
 - size, 237
 - symbolic icons, 235
 - symbolism, 237–239
 - text to create, 228–229
- source images, batch processing tasks, 314
- spaces, avoiding in filenames, 112
- Spacing option, Brush Options dialog box, 185
- Spherize filter, 283
- splash screens, 421–447
 - format, 422–426
 - guides. *See* guides
 - image maps. *See* creating image maps with ImageReady; image maps
 - metaphors, 427–428
 - navigation, 430–431
 - overview, 31
 - purpose, making clear, 428–431
- Sponge tool, retouching photographs, 166
- squares, buttons, 271–272
- SRC attribute, IMG tag, 106–107
- stock photo CDs, 170–171
- stops
 - actions, 306
 - inserting into actions, 311
- storing images, digital cameras, 148
- stroking, 4
 - shapes, 276
- styles
 - adding to layers, 193
 - creating rollover effects, 391–394
- style sheets. *See also* CSS (Cascading Style Sheets)
 - controlling repetition, 208–209
 - defining backgrounds, 206–209
- Stylize filter, 197
- Submit button, graphics, 286–287
- subtractive color, 90
- SVG (scalable vector graphics) images, 62
- Swatches palette, 13
- symbols, 233–239
 - colors, 236–237, 238
 - designing, 236–237
 - image slices, 467–468
 - ratings, 233–234, 239–240
 - review, 234–235
 - shapes, 236, 238–239
 - size, 237
 - symbolic icons, 235
 - symbolism, 237–239
 - text to create, 228–229
- tabbed interfaces, 284–286
 - designing, 262–263
- table(s), positioning images, 486–489
- table delimiter (TD) tags
 - CSS, 207–208
 - HTML, 205–206
- TABLE tag, 111–112
- tags, HTML. *See* HTML (Hypertext Markup Language)
- TD tags. *See* table delimiter (TD) tags
- tertiary colors, 93
- tessellation, 202–203
- text
 - ALT attribute, 110–111
 - ASCII, 105
 - creating symbols, 228–229
 - HTML, adding to slices, 475–477
- text palettes, 15
- texture contrast, maintaining in photographs, hue contrast, maintaining in photographs, 158
- Texture filter, 197
- 3-D effects, 276–283
 - beveled edges, 278
 - consistency of light, 278
 - drop shadows, 280–282
 - flash screens, 426
 - gradients, 279–280
 - software, 282–283
 - z-axis, 277
- threshold, color reduction, 57–58
- Threshold dialog box, 58
- thumbnail galleries, 299–330
 - actions. *See* actions; batch processing tasks
 - contact sheets, 327–329
 - Create Web Photo Gallery command, 324–327
 - creating pages manually, 322–323
 - overview, 30
 - uses, 323
- thumbnail images, controlling with WIDTH and HEIGHT attributes, 108
- Tile Maker filter, 198–200
- tiling, 202
- timing animations, 354–357
 - adjusting delay, 354–356
 - adjusting number of loops, 356–357

- toolbox, 11, 15–19
 - bitmap tools, 17
 - color tools, 18
 - Jump button, 19
 - navigation tools, 18
 - selection tools, 16–17
 - vector tools, 18
 - view options, 19
- tracking type, 266
- transforming layers, 194–196
- transparency
 - backgrounds, 224–225
 - small images, 230–233
- transposing slices, 470–474
 - ImageReady, 472–474
 - Slice palette, 471–472
 - Slice Select tool, 471
- Trash button, Rollover palette in ImageReady, 387
- troubleshooting actions, 311
- TV screens, 85–86
 - color, 86
 - NTSC standards, 86
 - resolution, 85–86
- TWAIN standard, 130
- tweening, 360–362
- type layers, 265
- Type Mask tool, 270
- type size, setting, 269
- Type tool, 18

U

- underscore (), file names, 112
- Unicode Character Map, 228–229

- Unsharp Mask filter, retouching photographs, 165
- URLs (Universal Resource Locators), assigning to slices, 478
- user-slices
 - converting auto-slices to, 463
 - converting layer-based slices to, 463
 - creating, 460–461

V

- values, attributes, 104
- VBScript, 409
- vector(s), 3
- vector images, 4–7
 - rasterizing, 6–7
 - software tools, 6
- vector tools, 18
- video, 144–145
 - boosting colors, 144
 - reducing motion effects, 145
 - removing lines, 144
- viewing. *See also* displaying
 - bitmap images, 10
 - favicons, 244
 - guides, 433–434
- View menu, 20
- view options, 19
- View palettes, 14
- virtual distance, z-axis, 277
- virtual ISO, 148
- visibility, layers, 192, 350–351
- visual impact, banner ads, 369–370
- VRML (Virtual Reality Markup Language), 426

- VSPACE attribute, IMG tag, 109

W

- wallpapering, 202
- warping text, 269
- watermarking Web page images, 172
- Web effects palettes, 14–15
- Web page images, 171–172
 - copyrights, 171–172
 - watermarking, 172
- Web Photo Gallery dialog box, 324–325
- Web-safe color, 102–103
- Web-safe color palette, 499–501
- Web-safe color table, 49
- Web Snap, 69
- Wet Edges, 188–189
- what you *see* is what you get (wysiwyg) HTML editors, 103–104
- WIDTH attribute, IMG tag, 107–108
- Window menu, 20
- work paths, 271
- wysiwyg (what you *see* is what you get) HTML editors, 103–104

X

- X-Bitmap images, 63
- XBMP images, 63

Z

- z-axis, 277
- ZigZag filter, 283
- zoom, cameras, 148
- zooming, 222
- Zoom tool, 18, 22–23